



State of Mississippi

DEPARTMENT OF TRANSPORTATION

Statewide Agency Contract Number:
DFA74521-20/21

HOT & COLD MIX ASPHALT

07/01/2020 - 06/30/2021

TABLE OF CONTENTS
HOT AND COLD MIX ASPHALT

PAGE NO.

4	ADCAMP, INC.....	3
1	APAC-MISSISSIPPI INC (CANTON).....	4
1	APAC-MISSISSIPPI INC (COLUMBUS).....	6
1	APAC-MISSISSIPPI INC (GLEN).....	8
1	APAC-MISSISSIPPI INC (GREENVILLE).....	10
1	APAC-MISSISSIPPI INC (GREENWOOD).....	12
1	APAC-MISSISSIPPI INC (HAMILTON).....	14
1	APAC-MISSISSIPPI INC (JACKSON).....	16
1	APAC-MISSISSIPPI INC (MERIDIAN).....	18
1	APAC-MISSISSIPPI INC (NEW ALBANY).....	20
1	APAC-MISSISSIPPI INC (SHANNON).....	22
1	APAC-MISSISSIPPI INC (TUPELO).....	24
1	APAC-MISSISSIPPI INC (VICKSBURG).....	26
1	APAC-MISSISSIPPI INC (YAZOO CITY).....	28
4	BARRIERE CONSTRUCTION CO, LLC.....	30
1	CENTRAL PIPE SUPPLY.....	31
2	DICKERSON & BOWEN INC (BROOKHAVEN).....	32
2	DICKERSON & BOWEN INC (CARTHAGE).....	33
2	DICKERSON & BOWEN INC (JACKSON).....	34
2	DICKERSON & BOWEN INC (MCCOMB).....	36
2	DUNN ROADBUILDERS LLC (COLUMBIA).....	38
2	DUNN ROADBUILDERS LLC (LAUREL).....	40
2	DUNN ROADBUILDERS LLC (PETAL).....	42
4	HUEY STOCKSTILL, INC.	44
4	LEHMAN ROBERTS COMPANY (BATESVILLE).....	46
4	LEHMAN ROBERTS COMPANY (BYHALIA).....	47
4	LEHMAN ROBERTS COMPANY (HERNANDO).....	48
4	LEHMAN ROBERTS COMPANY (OXFORD).....	49
4	LEHMAN ROBERTS COMPANY (WINONA).....	50
1	MALLETTE BROTHERS CONSTRUCTION CO.....	51
4	MATERIAL RESOURCES, INC.....	53
4	SEABOARD.....	54
1	STANDARD CONSTRUCTION.....	55
2	W.E. BLAIN & SONS, INC (BYRAM).....	56
2	W.E. BLAIN & SONS, INC (MORTON).....	58
2	W.E. BLAIN & SONS, INC (MT. OLIVE).....	60
2	W.E. BLAIN & SONS, INC (WASHINGTON).....	62
4	WARREN PAVING, INC (GULFPORT).....	63
4	WARREN PAVING, INC (HATTIESBURG).....	65

- 1 = MDOT ONLY
- 2 = MDOT AND OTHER STATE AGENCIES
- 3 = MDOT & GOVERNING AUTHORITIES
- 4 = MDOT, GOVERNING AUTHORITIES, & OTHER STATE AGENCIES

ADCAMP, INC.
1353 FLOWOOD DRIVE
FLOWOOD, MS 39232
601/939-4493

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications at our plant located at 1353 FLOWOOD DRIVE, FLOWOOD, MS 39232 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

- (1) Type 8, Crushed Gravel, or @ 64.00 per ton
Combined with
Limestone or Slag

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

- (21) Hot Mix Asphalt @ 63.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .30 PER TON PER MILE, WITH 6.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications at our plant located at CANTON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 65.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 66.00 per ton

(4) 12.5 mm Mixture @ 64.00 per ton

(5) 19 mm Mixture @ 61.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 65.00 per ton

(9) 12.5 mm Mixture @ 64.00 per ton

(10) 19 mm Mixture @ 59.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 65.00 per ton

(14) 12.5 mm Mixture @ 64.00 per ton

(15) 19 mm Mixture @ 59.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 73.00 per ton

(19) 12.5 mm Mixture @ 73.00 per ton

(20) 19 mm Mixture @ 72.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 62.00 per ton

ULTRA-THIN HOT MIX ASPHALT

(22) Hot Mix Asphalt @ 68.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .30 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications at our plant located at COLUMBUS PLANT are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 72.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 72.00 per ton
(4) 12.5 mm Mixture @ 70.00 per ton
(5) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 72.00 per ton
(9) 12.5 mm Mixture @ 70.00 per ton
(10) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 72.00 per ton
(14) 12.5 mm Mixture @ 70.00 per ton
(15) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 80.00 per ton
(19) 12.5 mm Mixture @ 78.00 per ton
(20) 19 mm Mixture @ 70.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 72.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt @ 75.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(29) Cold Mix Asphalt @ 103.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.50 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications at our plant located at 2700 HIGHWAY 72 GLEN, MS 38846 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 71.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 71.00 per ton
(4) 12.5 mm Mixture @ 70.00 per ton
(5) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 71.00 per ton
(9) 12.5 mm Mixture @ 70.00 per ton
(10) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 71.00 per ton
(14) 12.5 mm Mixture @ 70.00 per ton
(15) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 81.00 per ton
(19) 12.5 mm Mixture @ 80.00 per ton

(20) 19 mm Mixture @ 78.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 71.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt @ 75.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(29) Cold Mix Asphalt @ 95.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.50 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications at our plant located at 2559 HARBOR FRONT ROAD, GREENVILLE, MS 39701 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 78.95 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 86.90 per ton
(3) 9.5mm Mixture @ 76.90 per ton
(4) 12.5 mm Mixture @ 73.90 per ton
(5) 19 mm Mixture @ 71.90 per ton
(6) 25 mm Mixture @ 71.90 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 89.90 per ton
(8) 9.5 mm Mixture @ 79.90 per ton
(9) 12.5 mm Mixture @ 76.90 per ton
(10) 19 mm Mixture @ 75.90 per ton
(11) 25 mm Mixture @ 75.90 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 83.90 per ton
(13) 9.5 mm Mixture @ 74.90 per ton

(14) 12.5 mm Mixture @ 72.90 per ton
(15) 19 mm Mixture @ 70.90 per ton
(16) 25 mm Mixture @ 70.90 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture @ 93.90 per ton
(18) 9.5 mm Mixture @ 83.90 per ton
(19) 12.5 mm Mixture @ 81.90 per ton
(20) 19 mm Mixture @ 81.90 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 71.90 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt @ 90.80 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(29) Cold Mix Asphalt @ 115.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .27 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications at our plant located at 1801 CYPRESS AVENUE, GREENWOOD, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 75.40 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 81.95 per ton
(3) 9.5mm Mixture @ 71.95 per ton
(4) 12.5 mm Mixture @ 70.95 per ton
(5) 19 mm Mixture @ 67.95 per ton
(6) 25 mm Mixture @ 70.95 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 83.95 per ton
(8) 9.5 mm Mixture @ 74.95 per ton
(9) 12.5 mm Mixture @ 71.95 per ton
(10) 19 mm Mixture @ 69.95 per ton
(11) 25 mm Mixture @ 73.95 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 80.95 per ton
(13) 9.5 mm Mixture @ 70.95 per ton

- (14) 12.5 mm Mixture @ 68.95 per ton
- (15) 19 mm Mixture @ 65.95 per ton
- (16) 25 mm Mixture @ 69.95 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- (17) 4.75 mm Mixture @ 92.95 per ton
- (18) 9.5 mm Mixture @ 82.95 per ton
- (19) 12.5 mm Mixture @ 79.95 per ton
- (20) 19 mm Mixture @ 77.95 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

- (21) Hot Mix Asphalt @ 70.95 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

- (22) Hot Mix Asphalt @ 89.70 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

- (29) Cold Mix Asphalt @ 115.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .27 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications at our plant located at HAMILTON PLANT are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 72.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 72.00 per ton
(4) 12.5 mm Mixture @ 70.00 per ton
(5) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 72.00 per ton
(9) 12.5 mm Mixture @ 70.00 per ton
(10) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 72.00 per ton
(14) 12.5 mm Mixture @ 70.00 per ton
(15) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- (18) 9.5 mm Mixture @ 80.00 per ton
(19) 12.5 mm Mixture @ 78.00 per ton
(20) 19 mm Mixture @ 70.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

- (21) Hot Mix Asphalt @ 72.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

- (22) Hot Mix Asphalt @ 75.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

- (29) Cold Mix Asphalt @ 103.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.50 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at JACKSON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 69.80 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 64.00 per ton
(4) 12.5 mm Mixture @ 63.00 per ton
(5) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 64.00 per ton
(9) 12.5 mm Mixture @ 63.00 per ton
(10) 19 mm Mixture @ 57.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 64.00 per ton
(14) 12.5 mm Mixture @ 63.00 per ton
(15) 19 mm Mixture @ 57.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- (18) 9.5 mm Mixture @ 68.00 per ton
- (19) 12.5 mm Mixture @ 68.00 per ton
- (20) 19 mm Mixture @ 68.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

- (21) Hot Mix Asphalt @ 62.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

- (22) Hot Mix Asphalt @ 67.00 per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

- (24) Bulk form: R3
@ 125.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .30 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at MERIDIAN, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 76.50 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 77.00 per ton
(4) 12.5 mm Mixture @ 70.00 per ton
(5) 19 mm Mixture @ 64.50 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 77.00 per ton
(9) 12.5 mm Mixture @ 70.00 per ton
(10) 19 mm Mixture @ 64.50 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 77.00 per ton
(14) 12.5 mm Mixture @ 70.00 per ton
(15) 19 mm Mixture @ 64.50 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 81.50 per ton

(19) 12.5 mm Mixture @ 74.50 per ton

(20) 19 mm Mixture @ 69.50 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 74.50 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(29) Cold Mix Asphalt @ 110.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .40 PER TON PER MILE, WITH 6.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation at our plant located at 110 GAP DRIVE, NEW ALBANY, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 71.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 71.00 per ton
(4) 12.5 mm Mixture @ 70.00 per ton
(5) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 71.00 per ton
(9) 12.5 mm Mixture @ 70.00 per ton
(10) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 71.00 per ton
(14) 12.5 mm Mixture @ 70.00 per ton
(15) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 81.00 per ton
(19) 12.5 mm Mixture @ 80.00 per ton
(20) 19 mm Mixture @ 78.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 71.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt @ 75.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(29) Cold Mix Asphalt @ 95.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.50 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at 61 CR 520, SHANNON, MS 38868 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 71.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 71.00 per ton
(4) 12.5 mm Mixture @ 70.00 per ton
(5) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 71.00 per ton
(9) 12.5 mm Mixture @ 70.00 per ton
(10) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 71.00 per ton
(14) 12.5 mm Mixture @ 70.00 per ton
(15) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- (18) 9.5 mm Mixture @ 81.00 per ton
(19) 12.5 mm Mixture @ 80.00 per ton
(20) 19 mm Mixture @ 78.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

- (21) Hot Mix Asphalt @ 71.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

- (22) Hot Mix Asphalt @ 75.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

- (29) Cold Mix Asphalt @ 95.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.50 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at 459 N. EASON BLVD, TUPELO, MS 38801 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 71.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 71.00 per ton
(4) 12.5 mm Mixture @ 70.00 per ton
(5) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 71.00 per ton
(9) 12.5 mm Mixture @ 70.00 per ton
(10) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 71.00 per ton
(14) 12.5 mm Mixture @ 70.00 per ton

(15) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 81.00 per ton

(19) 12.5 mm Mixture @ 80.00 per ton

(20) 19 mm Mixture @ 78.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 71.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt @ 75.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(29) Cold Mix Asphalt @ 95.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.50 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation at our plant located at VICKSBURG, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 71.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 69.00 per ton
(4) 12.5 mm Mixture @ 68.00 per ton
(5) 19 mm Mixture @ 66.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 68.00 per ton
(9) 12.5 mm Mixture @ 67.00 per ton
(10) 19 mm Mixture @ 66.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 68.00 per ton
(14) 12.5 mm Mixture @ 67.00 per ton
(15) 19 mm Mixture @ 66.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- (18) 9.5 mm Mixture @ 79.00 per ton
(19) 12.5 mm Mixture @ 79.00 per ton
(20) 19 mm Mixture @ 79.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

- (21) Hot Mix Asphalt @ 67.00 per ton

ULTRA-THIN HOT MIX ASPHALT

- (22) Hot Mix Asphalt @ 70.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .30 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation at our plant located at YAZOO CITY, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 71.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 75.00 per ton
(4) 12.5 mm Mixture @ 69.00 per ton
(5) 19 mm Mixture @ 67.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 73.00 per ton
(9) 12.5 mm Mixture @ 69.00 per ton
(10) 19 mm Mixture @ 67.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 73.00 per ton
(14) 12.5 mm Mixture @ 69.00 per ton
(15) 19 mm Mixture @ 67.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22)

- (18) 9.5 mm Mixture @ 79.00 per ton
(19) 12.5 mm Mixture @ 79.00 per ton
(20) 19 mm Mixture @ 79.00 per ton

ULTRA-THIN HOT MIX ASPHALT

- (22) HOT MIX ASPHALT @ 70.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .30 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

DICKERSON & BOWEN, INC.
P.O. BOX 1008
BROOKHAVEN, MS 39602
601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at 983 OLD HWY 51, BROOKHAVEN, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 61.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 58.00 per ton

(4) 12.5 mm Mixture @ 57.00 per ton

(5) 19 mm Mixture @ 55.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 58.00 per ton

(9) 12.5 mm Mixture @ 57.00 per ton

(10) 19 mm Mixture @ 55.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 58.00 per ton

(14) 12.5 mm Mixture @ 57.00 per ton

(15) 19 mm Mixture @ 55.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 66.00 per ton

(19) 12.5 mm Mixture @ 65.00 per ton

(20) 19 mm Mixture @ 63.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 59.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .40 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

DICKERSON & BOWEN, INC.

P.O. BOX 1008

BROOKHAVEN, MS 39602

601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at HIGHWAY 16 EAST, CARTHAGE are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 72.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 71.00 per ton

(4) 12.5 mm Mixture @ 69.50 per ton

(5) 19 mm Mixture @ 69.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 71.00 per ton

(9) 12.5 mm Mixture @ 69.50 per ton

(10) 19 mm Mixture @ 69.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 71.00 per ton

(14) 12.5 mm Mixture @ 69.50 per ton

(15) 19 mm Mixture @ 69.50 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 79.00 per ton

(19) 12.5 mm Mixture @ 79.00 per ton

(20) 19 mm Mixture @ 75.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 71.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .40 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

DICKERSON & BOWEN, INC.

P.O. BOX 1008

BROOKHAVEN, MS 39602

601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at 2642 GALLATIN STREET, JACKSON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 57.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 57.00 per ton
(4) 12.5 mm Mixture @ 52.00 per ton
(5) 19 mm Mixture @ 51.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 57.00 per ton
(9) 12.5 mm Mixture @ 52.00 per ton
(10) 19 mm Mixture @ 51.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 57.00 per ton
(14) 12.5 mm Mixture @ 52.00 per ton
(15) 19 mm Mixture @ 51.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 61.50 per ton

(19) 12.5 mm Mixture @ 60.00 per ton

(20) 19 mm Mixture @ 60.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 57.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(29) Cold Mix Asphalt @ 110.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .40 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

DICKERSON & BOWEN, INC.
P.O. BOX 1008
BROOKHAVEN, MS 39602
601/833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at HIGHWAY 98 EAST, MCCOMB, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 62.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 59.00 per ton
(4) 12.5 mm Mixture @ 58.00 per ton
(5) 19 mm Mixture @ 56.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 59.00 per ton
(9) 12.5 mm Mixture @ 58.00 per ton
(10) 19 mm Mixture @ 56.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 59.00 per ton
(14) 12.5 mm Mixture @ 58.00 per ton
(15) 19 mm Mixture @ 56.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 67.00 per ton
(19) 12.5 mm Mixture @ 66.00 per ton

(20) 19 mm Mixture @ 64.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 60.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(29) Cold Mix Asphalt @ 100.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .40 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

DUNN ROADBUILDERS, LLC.
P.O. BOX 6560
LAUREL, MS 39441
601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at 188 HIGHWAY 98 EAST, COLUMBIA are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 71.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 97.00 per ton
(3) 9.5mm Mixture @ 71.00 per ton
(4) 12.5 mm Mixture @ 67.50 per ton
(5) 19 mm Mixture @ 64.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 97.00 per ton
(8) 9.5 mm Mixture @ 72.00 per ton
(9) 12.5 mm Mixture @ 66.25 per ton
(10) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 94.00 per ton
(13) 9.5 mm Mixture @ 67.50 per ton
(14) 12.5 mm Mixture @ 66.50 per ton
(15) 19 mm Mixture @ 62.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- (17) 4.75 mm Mixture @ 109.00 per ton
- (18) 9.5 mm Mixture @ 78.00 per ton
- (19) 12.5 mm Mixture @ 73.15 per ton
- (20) 19 mm Mixture @ 66.50 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

- (21) Hot Mix Asphalt @ 63.25 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

- (22) Hot Mix Asphalt @ 63.65 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

- (29) Cold Mix Asphalt @ 103.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.30 PER TON PER MILE, WITH 6.00 PER TON MINIMUM HAUL.

DUNN ROADBUILDERS, LLC.
P.O. BOX 6560
LAUREL, MS 39441
601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at 509 AVENUE D., LAUREL, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 71.80 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 93.90 per ton
(3) 9.5mm Mixture @ 74.90 per ton
(4) 12.5 mm Mixture @ 68.40 per ton
(5) 19 mm Mixture @ 65.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 93.90 per ton
(8) 9.5 mm Mixture @ 74.50 per ton
(9) 12.5 mm Mixture @ 67.25 per ton
(10) 19 mm Mixture @ 64.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 94.00 per ton
(13) 9.5 mm Mixture @ 73.75 per ton
(14) 12.5 mm Mixture @ 67.80 per ton
(15) 19 mm Mixture @ 62.75 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- (17) 4.75 mm Mixture @ 109.50 per ton
- (18) 9.5 mm Mixture @ 81.75 per ton
- (19) 12.5 mm Mixture @ 75.00 per ton
- (20) 19 mm Mixture @ 68.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

- (21) Hot Mix Asphalt @ 64.75 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

- (22) Hot Mix Asphalt @ 66.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

- (29) Cold Mix Asphalt @ 104.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .30 PER TON PER MILE, WITH 6.00 PER TON MINIMUM HAUL.

DUNN ROADBUILDERS, LLC.
P.O. BOX 6560
LAUREL, MS 39441
601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at 157 CHEVIS LEE ROAD, PETAL, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 68.10 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 91.00 per ton
(3) 9.5mm Mixture @ 71.00 per ton
(4) 12.5 mm Mixture @ 65.05 per ton
(5) 19 mm Mixture @ 61.70 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 91.00 per ton
(8) 9.5 mm Mixture @ 71.00 per ton
(9) 12.5 mm Mixture @ 64.00 per ton
(10) 19 mm Mixture @ 60.60 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 91.00 per ton
(13) 9.5 mm Mixture @ 70.00 per ton
(14) 12.5 mm Mixture @ 64.50 per ton
(15) 19 mm Mixture @ 59.50 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- (17) 4.75 mm Mixture @ 107.00 per ton
(18) 9.5 mm Mixture @ 78.00 per ton
(19) 12.5 mm Mixture @ 71.50 per ton
(20) 19 mm Mixture @ 64.70 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

- (21) Hot Mix Asphalt @ 61.50 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

- (22) Hot Mix Asphalt @ 63.50 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

- (29) Cold Mix Asphalt @ 103.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .30 PER TON PER MILE, WITH 6.00 PER TON MINIMUM HAUL.

HUEY P. STOCKSTILL, LLC.

P.O. BOX 758
PICAYUNE, MS 39466
601/798-2981

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at Picayune, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 71.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 76.00 per ton
(3) 9.5mm Mixture @ 71.00 per ton
(4) 12.5 mm Mixture @ 71.00 per ton
(5) 19 mm Mixture @ 71.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 76.00 per ton
(8) 9.5 mm Mixture @ 71.00 per ton
(9) 12.5 mm Mixture @ 71.00 per ton
(10) 19 mm Mixture @ 71.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 76.00 per ton
(13) 9.5 mm Mixture @ 71.00 per ton
(14) 12.5 mm Mixture @ 71.00 per ton
(15) 19 mm Mixture @ 71.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- (17) 4.75 mm Mixture @ 82.00 per ton
(18) 9.5 mm Mixture @ 77.00 per ton
(19) 12.5 mm Mixture @ 77.00 per ton
(20) 19 mm Mixture @ 77.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

- (21) Hot Mix Asphalt @ 71.00 per ton

LEHMAN-ROBERTS COMPANY
P.O. BOX 1603
MEMPHIS, TN 38101

P.O. BOX 1603
MEMPHIS, TN 38101
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at PLANT 10, 161 STONEWALL ROAD, BYHALIA, MS 38611 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 71.20 per ton
(4) 12.5 mm Mixture @ 68.40 per ton
(5) 19 mm Mixture @ 63.50 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 71.20 per ton
(9) 12.5 mm Mixture @ 68.40 per ton
(10) 19 mm Mixture @ 63.50 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 71.20 per ton
(14) 12.5 mm Mixture @ 68.40 per ton
(15) 19 mm Mixture @ 63.50 per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(24) Bulk form: QPR COLD MIX Manufactured by: QPR
Product Name
@ 145.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.50 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY
P.O. BOX 1603

MEMPHIS, TN 38101
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at PLANT 6, 6158 HIGHWAY 51 SOUTH, HERNANDO, MS 38632 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	@ <u>72.25</u> per ton
(4) 12.5 mm Mixture	@ <u>69.25</u> per ton
(5) 19 mm Mixture	@ <u>63.50</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture	@ <u>72.25</u> per ton
(9) 12.5 mm Mixture	@ <u>69.25</u> per ton
(10) 19 mm Mixture	@ <u>63.50</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture	@ <u>72.25</u> per ton
(14) 12.5 mm Mixture	@ <u>69.25</u> per ton
(15) 19 mm Mixture	@ <u>63.50</u> per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.50 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY

P.O. BOX 1603
MEMPHIS, TN 38101
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at PLANT 11, OLD HIGHWAY 7 NORTH, OXFORD, MS 38655 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 73.20 per ton
(4) 12.5 mm Mixture @ 70.25 per ton
(5) 19 mm Mixture @ 65.40 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 73.20 per ton
(9) 12.5 mm Mixture @ 70.25 per ton
(10) 19 mm Mixture @ 65.40 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 73.20 per ton
(14) 12.5 mm Mixture @ 70.25 per ton
(15) 19 mm Mixture @ 65.40 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt @ 85.25 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.50 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY
P.O. BOX 1603
MEMPHIS, TN 38101
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications at our plant located at PLANT 1, HIGHWAY 82, WINONA, MS 38967 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 74.25 per ton
(4) 12.5 mm Mixture @ 69.25 per ton
(5) 19 mm Mixture @ 64.50 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 74.25 per ton
(9) 12.5 mm Mixture @ 69.25 per ton
(10) 19 mm Mixture @ 64.50 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 74.25 per ton
(14) 12.5 mm Mixture @ 69.25 per ton
(15) 19 mm Mixture @ 64.50 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt @ 85.25 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 5.50 PER TON MINIMUM HAUL.

MALLETTE BROTHERS CONSTRUCTION COMPANY, INC.
3708 HIGHWAY 90
GAUTIER, MS 39553
228/497-2523

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications at our plant located at 2601 OLD SPANISH TRAIL, GAUTIER, MS 39553 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 68.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 68.00 per ton
(3) 9.5mm Mixture @ 68.00 per ton
(4) 12.5 mm Mixture @ 68.00 per ton
(5) 19 mm Mixture @ 68.00 per ton
(6) 25 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 68.00 per ton
(8) 9.5 mm Mixture @ 68.00 per ton
(9) 12.5 mm Mixture @ 68.00 per ton
(10) 19 mm Mixture @ 68.00 per ton
(11) 25 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 68.00 per ton
(13) 9.5 mm Mixture @ 68.00 per ton

- (14) 12.5 mm Mixture @ 68.00 per ton
- (15) 19 mm Mixture @ 68.00 per ton
- (16) 25 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- (17) 4.75 mm Mixture @ 77.00 per ton
- (18) 9.5 mm Mixture @ 68.00 per ton
- (19) 12.5 mm Mixture @ 68.00 per ton
- (20) 19 mm Mixture @ 68.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

- (21) Hot Mix Asphalt @ 68.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

- (22) Hot Mix Asphalt @ 77.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .30 PER TON PER MILE, WITH 15.00 PER TON MINIMUM HAUL.

MATERIAL RESOURCES, INC.
P.O. BOX 1183
PORT ALLEN, LA 70767
225/267-6464

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications at our plant located at 4323 NORTH RIVER ROAD, PORT ALLEN, LA 70767 are as follows:

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bagged form: PM PLUS Manufactured by: MATERIAL RESOURCES, INC.
Product Name
@ 310.00 per ton 7.75/BAG 56 BAGS/PALLET

(24) Bulk form: PM PLUS Manufactured by: MATERIAL RESOURCES, INC.
Product Name
@ 85.40 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(29) Cold Mix Asphalt @ 85.40 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .18 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

STANDARD CONSTRUCTION COMPANY, INC.
7434 RALEIGH LAGRANGE RD
CORDOVA, TN
901-754-5181

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications at our plant located at 1035 FRNAK ROAD, COLLIERVILLE, TN are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	@ <u>67.50</u>	per ton
(4) 12.5 mm Mixture	@ <u>66.00</u>	per ton
(5) 19 mm Mixture	@ <u>63.00</u>	per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture	@ <u>67.50</u>	per ton
(9) 12.5 mm Mixture	@ <u>66.00</u>	per ton
(10) 19 mm Mixture	@ <u>63.00</u>	per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture	@ <u>67.50</u>	per ton
(14) 12.5 mm Mixture	@ <u>66.00</u>	per ton
(15) 19 mm Mixture	@ <u>63.00</u>	per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture	@ <u>82.00</u>	per ton
(19) 12.5 mm Mixture	@ <u>80.00</u>	per ton
(20) 19 mm Mixture	@ <u>78.00</u>	per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt	@ <u>62.50</u>	per ton
----------------------	----------------	---------

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
PER TON PER MILE, WITH PER TON MINIMUM HAUL.

W.E. BLAIN & SONS, INC.
P.O. BOX 1208
MOUNT OLIVE, MS 39119
601-797-4551

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department
of Transportation Specifications at our plant located at BYRAM,MS are
as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 67.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 65.00 per ton
(4) 12.5 mm Mixture @ 63.00 per ton
(5) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 67.00 per ton
(9) 12.5 mm Mixture @ 65.00 per ton
(10) 19 mm Mixture @ 59.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 70.00 per ton
(14) 12.5 mm Mixture @ 66.00 per ton
(15) 19 mm Mixture @ 60.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 60.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt @ 65.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .35 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

W.E. BLAIN & SONS, INC.
P.O. BOX 1208
MOUNT OLIVE, MS 39119
601/797-4551

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications at our plant located at MORTON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 72.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 71.00 per ton
(4) 12.5 mm Mixture @ 68.00 per ton
(5) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 73.00 per ton
(9) 12.5 mm Mixture @ 70.00 per ton
(10) 19 mm Mixture @ 64.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 75.00 per ton
(14) 12.5 mm Mixture @ 71.00 per ton
(15) 19 mm Mixture @ 65.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 65.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt @ 71.00 per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(24) Bulk form: QPR Manufactured by: QPR
Product Name
@ 138.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.35 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

W.E. BLAIN & SONS, INC.
P.O. BOX 1208
MOUNT OLIVE, MS 39119
601/797-4551

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications at our plant located at MOUNT OLIVE, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 69.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 67.00 per ton
(4) 12.5 mm Mixture @ 64.00 per ton
(5) 19 mm Mixture @ 59.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 69.00 per ton
(9) 12.5 mm Mixture @ 66.00 per ton
(10) 19 mm Mixture @ 60.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 71.00 per ton
(14) 12.5 mm Mixture @ 68.00 per ton
(15) 19 mm Mixture @ 60.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 60.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt @ 67.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .35 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

W.E. BLAIN & SONS, INC.
P.O. BOX 1208
MOUNT OLIVE, MS 39119
601/797-4551

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at WASHINGTON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 72.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 73.00 per ton
(3) 9.5mm Mixture @ 71.20 per ton
(4) 12.5 mm Mixture @ 69.00 per ton
(5) 19 mm Mixture @ 64.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 72.00 per ton
(9) 12.5 mm Mixture @ 69.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 70.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt @ 73.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .25 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

WARREN PAVING, INC.
P.O. BOX 2545
GULFPORT, MS 39505
228/896-8003

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 11211 REICHOLD ROAD, GULFPORT, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 68.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 73.75 per ton
(3) 9.5mm Mixture @ 66.25 per ton
(4) 12.5 mm Mixture @ 60.75 per ton
(5) 19 mm Mixture @ 57.00 per ton
(6) 25 mm Mixture @ 57.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 74.25 per ton
(8) 9.5 mm Mixture @ 66.75 per ton
(9) 12.5 mm Mixture @ 61.25 per ton
(10) 19 mm Mixture @ 57.50 per ton
(11) 25 mm Mixture @ 57.50 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 74.75 per ton

(13) 9.5 mm Mixture @ 67.25 per ton

(14) 12.5 mm Mixture @ 61.75 per ton

(15) 19 mm Mixture @ 58.00 per ton

(16) 25 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture @ 83.00 per ton

(18) 9.5 mm Mixture @ 76.50 per ton

(19) 12.5 mm Mixture @ 75.75 per ton

(20) 19 mm Mixture @ 63.75 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 65.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt @ 58.75 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(29) Cold Mix Asphalt @ 100.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .28 PER TON PER MILE, WITH 6.00 PER TON MINIMUM HAUL.

WARREN PAVING, INC.
P.O. BOX 2545
GULFPORT, MS 39505
228/896-8003

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JULY 1, 2020 THROUGH JUNE 30, 2021

Our price for material produced in accordance with Mississippi Department of Transportation Specifications at our plant located at 562 ELKS LAKE ROAD, HATTIESBURG, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 64.50 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 74.00 per ton
(3) 9.5mm Mixture @ 66.00 per ton
(4) 12.5 mm Mixture @ 64.50 per ton
(5) 19 mm Mixture @ 62.00 per ton
(6) 25 mm Mixture @ 62.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 74.50 per ton
(8) 9.5 mm Mixture @ 66.50 per ton
(9) 12.5 mm Mixture @ 65.50 per ton
(10) 19 mm Mixture @ 62.50 per ton
(11) 25 mm Mixture @ 62.50 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 75.00 per ton

(13) 9.5 mm Mixture @ 67.00 per ton

(14) 12.5 mm Mixture @ 65.50 per ton

(15) 19 mm Mixture @ 63.00 per ton

(16) 25 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture @ 84.50 per ton

(18) 9.5 mm Mixture @ 76.00 per ton

(19) 12.5 mm Mixture @ 74.50 per ton

(20) 19 mm Mixture @ 72.00 per ton

CONTRACTORS HOT MIS ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 63.25 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(22) Hot Mix Asphalt @ 63.75 per ton

CONTRACTORS COLD BITUMINOUS MIXTURE SPECIFICATIONS

(29) Cold Mix Asphalt @ 105.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .28 PER TON PER MILE, WITH 6.00 PER TON MINIMUM HAUL.