



State of Mississippi

Department of Transportation

Statewide Agency Contract

**Contract Number:
DFA-74521-25**

Hot and Cold Asphalt

01/01/2025 Approval Through 06/30/2025

TABLE OF CONTENTS
HOT AND COLD MIX ASPHALT

DONE

PAGE NO.

4	ADCAMP, INC.....	3
4	ADVANCED ASPHALT PRODUCTS.....	4
4	AJ CONSTRUCTION.	5
1	APAC-MISSISSIPPI INC (AUBURN RD).....	7
1	APAC-MISSISSIPPI INC (CANTON)	8
1	APAC-MISSISSIPPI INC (COLUMBUS).....	9
1	APAC-MISSISSIPPI INC (CORINTH)	10
1	APAC-MISSISSIPPI INC (DURANT). ..	11
1	APAC-MISSISSIPPI INC (GREENVILLE).....	12
1	APAC-MISSISSIPPI INC (GREENWOOD).....	13
1	APAC-MISSISSIPPI INC (HAMILTON).....	14
1	APAC-MISSISSIPPI INC (JACKSON).....	15
1	APAC-MISSISSIPPI INC (MERIDIAN)	16
1	APAC-MISSISSIPPI INC (MORTON)	17
1	APAC-MISSISSIPPI INC (NEW ALBANY).....	18
1	APAC-MISSISSIPPI INC (VICKSBURG).....	19
1	APAC-MISSISSIPPI INC (YAZOO)	20
1	APAC-MISSISSIPPI INC (NATCHEZ)	21
4	BARRIERE CONSTRUCTION CO, LLC (BOUTTE, LA)	22
4	CENTRAL PIPE SUPPLY	23
4	CORE AND MAIN (FLOWOOD)	24
2	DICKERSON & BOWEN INC (BROOKHAVEN).....	25
2	DICKERSON & BOWEN INC (CARTHAGE).....	27
2	DICKERSON & BOWEN INC (JACKSON).....	29
2	DICKERSON & BOWEN INC (MCCOMB).....	31
3	DUNN ROAD BUILDERS(PETAL)	33
3	DUNN ROAD BUILDERS (LAUREL)	35
3	DUNN ROAD BUILDERS (COLUMBIA)	37
4	LEHMAN ROBERTS COMPANY (BATESVILLE).....	39
4	LEHMAN ROBERTS COMPANY (BYHALIA).....	40
4	LEHMAN ROBERTS COMPANY (HERNANDO).....	41
4	LEHMAN ROBERTS COMPANY (OXFORD).....	42
4	LEHMAN ROBERTS COMPANY (WINONA).....	43
4	MATERIAL RESOURCES INC(PORT ALLEY, LA)	44
4	SEABOARD ASPHALT PRODUCTS CO.....	45
4	STANDARD CONSTRUCTION CO INC.....	46
4	WARREN PAVING, INC (GULFPORT).....	47
4	WARREN PAVING, INC (HATTIESBURG).....	49
4	WARREN PAVING, INC (MOSS POINT).....	51

1 = MDOT ONLY

2 = MDOT AND OTHER STATE AGENCIES

3 = MDOT & GOVERNING AUTHORITIES

4 = MDOT, GOVERNING AUTHORITIES, & OTHER STATE AGENCIES

ADCAMP, INC.
P.O. BOX 54246
JACKSON, MS 39288
1353 FLOWOOD DRIVE
FLOWOOD, MS 39232
601-939-4493
FAX: 601-939-4676
jason@adcampinc.com

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
January 1, 2025 THROUGH June 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at 1353 FLOWOOD DRIVE, FLOWOOD, MS 39232 are as follows:

TACK

(1) CSS-1H @ \$4.00 Per Gallon

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(2) Type 8, Crushed Gravel, or @ 79.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST: (SEE NOTE 2)

(4) 9.5mm Mixture @ 80.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS (See Note 1 and 3)

(22) Hot Mix Asphalt @ 76.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .80 PER TON PER MILE, WITH 12.00 PER TON MINIMUM HAUL.

Advanced Asphalt Products LLC
25601 HWY 69
JASPER AL 35504
205-387-1762
Aap.coldmix@gmail.com

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
January 1, 2025 THROUGH June 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at JASPER ALABAMA are as follows:

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(30)Cold Mix Asphalt @ 167.00 per ton

AJ CONSTRUCTION INC
P.O BOX 2024
MADISON, MS 39130
601-786-7283
SEAN@AJC.COM

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
January 1, 2025 THROUGH June 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at 1090 E MCDOWELL ROAD JACKSON MS are as follows:

TACK

(1) CSS-1H @ 5.00 per gallon

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(2) Type 8, Crushed Gravel, or @ \$84.00 per ton
Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture @ 82.00 per ton

(5) 12.5 mm Mixture @ 79.00 per ton

(6) 19 mm Mixture @ 78.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture @ 82.00 per ton

(10) 12.5 mm Mixture @ 79.00 per ton

(11) 19 mm Mixture @ 78.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture @ 82.00 per ton

(15) 12.5 mm Mixture @ 79.00 per ton

(16) 19 mm Mixture @ 78.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(19) 9.5 mm Mixture @ 95.00 per ton

(20) 12.5 mm Mixture @ 90.00 per ton

(21) 19 mm Mixture @ 90.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(22) Hot Mix Asphalt @ 77.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(23) Hot Mix Asphalt @ 80.00 per ton

**CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.75 PER TON PER MILE, WITH 12.00 PER TON MINIMUM HAUL.**

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
101 RIVERVIEW DRIVE
RICHLAND, MS 39218
769-990-6660
HOLLEY.BENSON@APAC.COM

**HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025**

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at AUBURN Road are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture	@ <u>115.00</u> per ton
(5) 12.5 mm Mixture	@ <u>110.00</u> per ton
(6) 19 mm Mixture	@ <u>105.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>115.00</u> per ton
(10) 12.5 mm Mixture	@ <u>110.00</u> per ton
(11) 19 mm Mixture	@ <u>105.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>115.00</u> per ton
(15) 12.5 mm Mixture	@ <u>110.00</u> per ton
(16) 19 mm Mixture	@ <u>105.00</u> per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(30) Cold Mix Asphalt	@ <u>150.00</u> per ton
-----------------------	-------------------------

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
101 RIVERVIEW DRIVE
RICHLAND, MS 39218
769-990-6660
HOLLEY.BENSON@APAC.COM

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
January 1, 2025 THROUGH June 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at CANTON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(2) TYPE 8, CRUSHED GRAVEL, OR @ 105.00 per ton
Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture @ 105.00 per ton

(5) 12.5 mm Mixture @ 100.00 per ton

(6) 19 mm Mixture @ 95.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture @ 105.00 per ton

(10) 12.5 mm Mixture @ 100.00 per ton

(11) 19 mm Mixture @ 95.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture @ 105.00 per ton

(15) 12.5 mm Mixture @ 100.00 per ton

(16) 19 mm Mixture @ 95.00 per ton

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
101 RIVERVIEW DRIVE
RICHLAND, MS 39218
769-990-6660
HOLLEY.BENSON@APAC.COM

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
January 1, 2025 THROUGH June 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at COLUMBUS, MS are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture	@ <u>115.00</u> per ton
(5) 12.5 mm Mixture	@ <u>110.00</u> per ton
(6) 19 mm Mixture	@ <u>105.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>115.00</u> per ton
(10) 12.5 mm Mixture	@ <u>110.00</u> per ton
(11) 19 mm Mixture	@ <u>105.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>115.00</u> per ton
(15) 12.5 mm Mixture	@ <u>110.00</u> per ton
(16) 19 mm Mixture	@ <u>105.00</u> per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(30) Cold Mix Asphalt	@ <u>185.00</u> per ton
-----------------------	-------------------------

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
101 RIVERVIEW DRIVE
RICHLAND, MS 39218
769-990-6660
holley.benson@apac.com

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
January 1, 2025 THROUGH June 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at CORINTH, MS are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture	@ <u>115.00</u> per ton
(5) 12.5 mm Mixture	@ <u>110.00</u> per ton
(6) 19 mm Mixture	@ <u>105.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>115.00</u> per ton
(10) 12.5 mm Mixture	@ <u>110.00</u> per ton
(11) 19 mm Mixture	@ <u>105.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>115.00</u> per ton
(15) 12.5 mm Mixture	@ <u>110.00</u> per ton
(16) 19 mm Mixture	@ <u>105.00</u> per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(30) Cold Mix Asphalt	@ <u>150.00</u> per ton
-----------------------	-------------------------

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
101 RIVERVIEW DRIVE
RICHLAND, MS 39218
769-990-6660
holley.benson@apac.com

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
January 1, 2025 THROUGH June 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at DURANT, MS are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture	@ <u>120.00</u> per ton
(5) 12.5 mm Mixture	@ <u>120.00</u> per ton
(6) 19 mm Mixture	@ <u>110.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>120.00</u> per ton
(10) 12.5 mm Mixture	@ <u>120.00</u> per ton
(11) 19 mm Mixture	@ <u>110.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>120.00</u> per ton
(15) 12.5 mm Mixture	@ <u>120.00</u> per ton
(16) 19 mm Mixture	@ <u>110.00</u> per ton

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
101 RIVERVIEW DRIVE
RICHLAND, MS 39218
769-990-6660
holley.benson@apac.com

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
Jan 1, 2025 THROUGH June 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at 2559 HARBOR FRONT ROAD, GREENVILLE, MS 39701 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture	@ <u>120.00</u>	per ton
(5) 12.5 mm Mixture	@ <u>120.00</u>	per ton
(6) 19 mm Mixture	@ <u>110.00</u>	per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>120.00</u>	per ton
(9) 12.5 mm Mixture	@ <u>120.00</u>	per ton
(10) 19 mm Mixture	@ <u>110.00</u>	per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>120.00</u>	per ton
(15) 12.5 mm Mixture	@ <u>120.00</u>	per ton
(16) 19 mm Mixture	@ <u>110.00</u>	per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(30) Cold Mix Asphalt	@ <u>165.00</u>	per ton
-----------------------	-----------------	---------

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
101 RIVERVIEW DRIVE
RICHLAND, MS 39218
769-990-6660
Holley.benson@apac.com

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
January 1, 2025 THROUGH June 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at 1801 CYPRESS AVENUE, GREENWOOD, MS are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5 mm Mixture	@ <u>110.00</u> per ton
(5) 12.5 mm Mixture	@ <u>115.00</u> per ton
(6) 19 mm Mixture	@ <u>105.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>110.00</u> per ton
(10) 12.5 mm Mixture	@ <u>115.00</u> per ton
(11) 19 mm Mixture	@ <u>105.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>110.00</u> per ton
(15) 12.5 mm Mixture	@ <u>115.00</u> per ton
(16) 19 mm Mixture	@ <u>105.00</u> per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(30) Cold Mix Asphalt	@ <u>165.00</u> per ton
-----------------------	-------------------------

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
101 RIVERVIEW DRIVE
RICHLAND, MS 39218
769-990-6660
HOLLEY.BENSON@APAC.COM

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
January 1, 2025 THROUGH June 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at HAMILTON PLANT are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture	@ <u>115.00</u> per ton
(5) 12.5 mm Mixture	@ <u>110.00</u> per ton
(6) 19 mm Mixture	@ <u>105.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>115.00</u> per ton
(10) 12.5 mm Mixture	@ <u>110.00</u> per ton
(11) 19 mm Mixture	@ <u>105.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>115.00</u> per ton
(15) 12.5 mm Mixture	@ <u>110.00</u> per ton
(16) 19 mm Mixture	@ <u>105.00</u> per ton

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
101 RIVERVIEW DRIVE
RICHLAND, MS 39218
769-990-6660
holley.benson@apac.com

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
January 1, 2025 THROUGH June 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at JACKSON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(2) TYPE 8, CRUSHED GRAVEL, OR @ 100.00 per ton
Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture @ 100.00 per ton
(5) 12.5 mm Mixture @ 95.00 per ton
(6) 19 mm Mixture @ 90.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture @ 100.00 per ton
(10) 12.5 mm Mixture @ 95.00 per ton
(11) 19 mm Mixture @ 90.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture @ 100.00 per ton
(15) 12.5 mm Mixture @ 95.00 per ton
(16) 19 mm Mixture @ 90.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(30) Cold Mix Asphalt @ 165.00 per ton

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
101 RIVERVIEW DRIVE
RICHLAND, MS 39218
769-990-6660
HOLLEY.BENSON@APAC.COM,

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at MERIDIAN, MS are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture	@ <u>120.00</u> per ton
(5) 12.5 mm Mixture	@ <u>115.00</u> per ton
(6) 19 mm Mixture	@ <u>110.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>120.00</u> per ton
(10) 12.5 mm Mixture	@ <u>115.00</u> per ton
(11) 19 mm Mixture	@ <u>110.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>120.00</u> per ton
(15) 12.5 mm Mixture	@ <u>115.00</u> per ton
(16) 19 mm Mixture	@ <u>110.00</u> per ton

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
101 RIVERVIEW DRIVE
RICHLAND, MS 39218
769-990-6660
HOLLEY.BENSON@APAC.COM,

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at MORTON, MS are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture	@ <u>115.00</u> per ton
(5) 12.5 mm Mixture	@ <u>110.00</u> per ton
(6) 19 mm Mixture	@ <u>105.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>115.00</u> per ton
(10) 12.5 mm Mixture	@ <u>110.00</u> per ton
(11) 19 mm Mixture	@ <u>105.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>115.00</u> per ton
(15) 12.5 mm Mixture	@ <u>110.00</u> per ton
(16) 19 mm Mixture	@ <u>105.00</u> per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(30) Cold Mix Asphalt	@ <u>185.00</u> per ton
-----------------------	-------------------------

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
101 RIVERVIEW DRIVE
RICHLAND, MS 39218
769-990-6660
HOLLEY.BENSON@APAC.COM

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at 110 GAP DRIVE, NEW ALBANY, MS are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture	@ <u>115.00</u> per ton
(5) 12.5 mm Mixture	@ <u>110.00</u> per ton
(6) 19 mm Mixture	@ <u>105.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>115.00</u> per ton
(10) 12.5 mm Mixture	@ <u>110.00</u> per ton
(11) 19 mm Mixture	@ <u>105.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>115.00</u> per ton
(15) 12.5 mm Mixture	@ <u>110.00</u> per ton
(16) 19 mm Mixture	@ <u>105.00</u> per ton

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
101 RIVERVIEW DRIVE
RICHLAND, MS 39218
769-990-6660
HOLLEY.BENSON@APAC.COM

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
January 1, 2025 THROUGH June 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at VICKSBURG, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(2) Type 8, Crushed Gravel, or Combined with Limestone or Slag @ \$115.00 per ton

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture @ 115.00 per ton

(5) 12.5 mm Mixture @ 110.00 per ton

(6) 19 mm Mixture @ 105.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture @ 115.00 per ton

(10) 12.5 mm Mixture @ 110.00 per ton

(11) 19 mm Mixture @ 105.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture @ 115.00 per ton

(15) 12.5 mm Mixture @ 110.00 per ton

(16) 19 mm Mixture @ 105.00 per ton

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
101 RIVERVIEW DRIVE
RICHLAND, MS 39218
769-990-6660
holley.benson@apac.com

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
January 1, 2025 THROUGH June 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at YAZOO CITY, MS are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture	@ <u>120.00</u> per ton
(5) 12.5 mm Mixture	@ <u>115.00</u> per ton
(6) 19 mm Mixture	@ <u>110.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>120.00</u> per ton
(10) 12.5 mm Mixture	@ <u>115.00</u> per ton
(11) 19 mm Mixture	@ <u>110.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>120.00</u> per ton
(15) 12.5 mm Mixture	@ <u>115.00</u> per ton
(16) 19 mm Mixture	@ <u>110.00</u> per ton

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
101 RIVERVIEW DRIVE
RICHLAND, MS 39218
769-990-6660
holley.benson@apac.com

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
January 1, 2025 THROUGH June 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at WASHINGTON, MS PLANT- 100 STATE PARK ROAD, NATCHEZ, MS 39120 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture	@ <u>110.00</u> per ton
(5) 12.5 mm Mixture	@ <u>110.00</u> per ton
(6) 19 mm Mixture	@ <u>100.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>110.00</u> per ton
(10) 12.5 mm Mixture	@ <u>110.00</u> per ton
(11) 19 mm Mixture	@ <u>100.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>110.00</u> per ton
(15) 12.5 mm Mixture	@ <u>110.00</u> per ton
(16) 19 mm Mixture	@ <u>100.00</u> per ton

BARRIERE CONSTRUCTION COMPANY, LLC.
P.O. BOX 1576
BOUTTE, LA 70039
985-785-7700
FAX: 985-331-3559
josephk@barriere.com

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at BOUTTE, LA are as follows:

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(24) Bagged form: STREET WISE Manufactured by: BARRIERE CONST. COMPANY, LLC.
Product Name
@ 460.00 per ton (\$11.50 per bag)

(25) Bulk form: STREET WISE Manufactured by: BARRIERE CONST. COMPANY, LLC.
Product Name
@ 160.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(30) Cold Mix Asphalt @ 160.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .75 PER TON PER MILE, WITH 12.00 PER TON MINIMUM HAUL.

MATT.PALMER@COREANDMAIN.COM

HOT AND COLD BITUMINOUS ASPHALT MIXTURES

JANUARY 1, 2025 THROUGH JUNE 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at 205B FLOWOOD DRIVE, FLOWOOD MS 39232 are as follows:

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(24) Bagged form: PERMA PATCH Manufactured by: PERMA PATCH
 Product Name

@ 595.00 per ton (60 LB BAGS @ \$17.50 per bag)

(25) Bulk form: PERMA PATCH Manufactured by: PERMA PATCH
Product Name

@ 500.00 per ton (1 TON HANDY BULK)

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR NO
CHARGE PER TON PER MILE, WITH 1 ½ BAGGED/ 20 HANDY BULK PER TON NO
MINIMUM HAUL.

DICKERSON & BOWEN, INC.
P.O. BOX 1008
BROOKHAVEN, MS 39602
601-833-4291
FAX: 601-833-8760
wcestess@dicersonandbowen.com

**HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025**

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at 983 OLD HWY 51, BROOKHAVEN, MS 39601 are as follows:

TACK

(1) CSS-1H @ 4.00 per gallon

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(2) Type 8, Crushed Gravel, or @ \$94.00 per ton
Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture @ 79.50 per ton

(5) 12.5 mm Mixture @ 79.00 per ton

(6) 19 mm Mixture @ 77.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture @ 79.50 per ton

(10) 12.5 mm Mixture @ 79.00 per ton

(11) 19 mm Mixture @ 77.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture @ 79.50 per ton

(15) 12.5 mm Mixture @ 79.00 per ton

(16) 19 mm Mixture @ 77.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(19) 9.5 mm Mixture @ 88.00 per ton

(20) 12.5 mm Mixture @ 87.00 per ton

(21) 19 mm Mixture @ 86.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(22) Hot Mix Asphalt @ 79.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(23) Hot Mix Asphalt @ 79.00 per ton

**CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
1.00 PER TON PER MILE, WITH 18.00 PER TON MINIMUM HAUL.**

DICKERSON & BOWEN, INC.
P.O. BOX 1008
BROOKHAVEN, MS 39602
601-833-4291
FAX: 601-833-8760
wcestess@dicersonandbowen.com

**HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025**

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at 291 HIGHWAY 16 EAST, CARTHAGE are as follows:

TACK

(1) CSS-1H @ 4.00 per gallon

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(2) Type 8, Crushed Gravel, or @ \$104.00 per ton
Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture @ 92.50 per ton

(5) 12.5 mm Mixture @ 91.00 per ton

(6) 19 mm Mixture @ 91.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture @ 92.50 per ton

(10) 12.5 mm Mixture @ 91.00 per ton

(11) 19 mm Mixture @ 91.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture @ 92.50 per ton

(15) 12.5 mm Mixture @ 91.00 per ton

(16) 19 mm Mixture @ 91.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(19) 9.5 mm Mixture @ 99.00 per ton

(20) 12.5 mm Mixture @ 99.00 per ton

(21) 19 mm Mixture @ 97.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(22) Hot Mix Asphalt @ 90.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(23) Hot Mix Asphalt @ 91.50 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR 1.00 PER TON PER MILE, WITH 18.00 PER TON MINIMUM HAUL.

DICKERSON & BOWEN, INC.
P.O. BOX 1008
BROOKHAVEN, MS 39602
601-833-4291
FAX: 601-833-8760
wcestess@dicersonandbowen.com

**HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025**

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at 2642 GALLATIN STREET, JACKSON, MS are as follows:

TACK

(1) CSS-1H @ 4.00 per gallon

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(2) Type 8, Crushed Gravel, or Combined with Limestone or Slag @ \$88.50 per ton

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture @ 74.25 per ton

(5) 12.5 mm Mixture @ 73.00 per ton

(6) 19 mm Mixture @ 71.50 per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture @ 74.25 per ton

(10) 12.5 mm Mixture @ 73.00 per ton

(11) 19 mm Mixture @ 71.50 per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture @ 74.25 per ton

(15) 12.5 mm Mixture @ 73.00 per ton

(16) 19 mm Mixture @ 71.50 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(19) 9.5 mm Mixture @ 84.75 per ton

(20) 12.5 mm Mixture @ 80.75 per ton

(21) 19 mm Mixture @ 76.75 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(22) Hot Mix Asphalt @ 75.50 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(23) Hot Mix Asphalt @ 75.50 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR 1.00 PER TON PER MILE, WITH 18.00 PER TON MINIMUM HAUL.

DICKERSON & BOWEN, INC.
P.O. BOX 1008
BROOKHAVEN, MS 39602
601-833-4291
FAX: 601-833-8760
wcestess@dicersonandbowen.com

**HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025**

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at 1085 WEAVER ROAD, MCCOMB, MS are as follows:

TACK

(1) CSS-1H @ 4.00 per gallon

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(2) Type 8, Crushed Gravel, or @ \$97.00 per ton
Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture @ 82.50 per ton

(5) 12.5 mm Mixture @ 82.00 per ton

(6) 19 mm Mixture @ 80.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture @ 85.50 per ton

(10) 12.5 mm Mixture @ 82.00 per ton

(11) 19 mm Mixture @ 80.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture @ 82.50 per ton

(15) 12.5 mm Mixture @ 82.00 per ton

(16) 19 mm Mixture @ 80.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(19) 9.5 mm Mixture @ 91.00 per ton

(20) 12.5 mm Mixture @ 90.00 per ton

(21) 19 mm Mixture @ 89.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(22) Hot Mix Asphalt @ 82.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(23) Hot Mix Asphalt @ 82.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR 1.00 PER TON PER MILE, WITH 18.00 PER TON MINIMUM HAUL.

DUNN ROADBUILDERS, LLC.
411 WEST OAK ST
LAUREL, MS 39441
601-649-4111
FAX: 601-425-4644
DASHLEY@DUNNROADBUILDERS.COM
THAWTHORNE@DUNNROADBUILDERS.COM

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at 157 CHEVIS LEE ROAD, PETAL, MS are as follows:

TACK

(1) CSS-1H @ 10.00 per gallon

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(2) Type 8, Crushed Gravel, or @ \$96.00 per ton
Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture @ 98.00 per ton

(5) 12.5 mm Mixture @ 92.00 per ton

(6) 19 mm Mixture @ 88.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture @ 97.00 per ton

(10) 12.5 mm Mixture @ 92.00 per ton

(11) 19 mm Mixture @ 87.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture @ 99.00 per ton

(15) 12.5 mm Mixture @ 93.00 per ton

(16) 19 mm Mixture @ 88.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(19) 9.5 mm Mixture	@ <u>108.00</u>	per ton
(20) 12.5 mm Mixture	@ <u>100.00</u>	per ton
(21) 19 mm Mixture	@ <u>95.00</u>	per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(22) Hot Mix Asphalt	@ <u>88.00</u>	per ton
----------------------	----------------	---------

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(23) Hot Mix Asphalt	@ <u>91.00</u>	per ton
----------------------	----------------	---------

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(30) Cold Mix Asphalt	@ <u>150.00</u>	per ton
-----------------------	-----------------	---------

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .30 PER TON PER MILE, WITH 10.00 PER TON MINIMUM HAUL.

DUNN ROADBUILDERS, LLC.
411 WEST OAK ST
LAUREL, MS 39441
601-649-4111
FAX: 601-425-4644
DASHLEY@DUNNROADBUILDERS.COM
THAWTHORNE@DUNNROADBUILDERS.COM

**HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025**

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at 509 AVENUE D, LAUREL MS 39440 are as follows:

TACK

(1) CSS-1H @ 10.00 per gallon

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(2) Type 8, Crushed Gravel, or Combined with Limestone or Slag @ \$101.00 per ton

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture @ 105.00 per ton

(5) 12.5 mm Mixture @ 98.00 per ton

(6) 19 mm Mixture @ 94.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture @ 104.00 per ton

(10) 12.5 mm Mixture @ 98.00 per ton

(11) 19 mm Mixture @ 94.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture @ 106.00 per ton

(15) 12.5 mm Mixture @ 100.00 per ton

(16) 19 mm Mixture @ 93.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(19) 9.5 mm Mixture @ 115.00 per ton

(20) 12.5 mm Mixture @ 108.00 per ton

(21) 19 mm Mixture @ 103.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(22) Hot Mix Asphalt @ 95.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(23) Hot Mix Asphalt @ 103.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(30) Cold Mix Asphalt @ 158.00 per ton

**CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.30 PER TON PER MILE, WITH 10.00 PER TON MINIMUM HAUL.**

DUNN ROADBUILDERS, LLC.
411 WEST OAK ST
LAUREL, MS 39441
601-649-4111
FAX: 601-425-4644
DASHLEY@DUNNROADBUILDERS.COM
THAWTHORNE@DUNNROADBUILDERS.COM

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY , 2025 THROUGH JUNE 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at 188 HWY 98 E COLUMBIA MS 39429 are as follows:

TACK

(1) CSS-1H @ 10.00 per gallon

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(2) Type 8, Crushed Gravel, or @ \$108.00 per ton
Combined with Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture @ 107.00 per ton

(5) 12.5 mm Mixture @ 106.00 per ton

(6) 19 mm Mixture @ 100.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture @ 109.00 per ton

(10) 12.5 mm Mixture @ 104.00 per ton

(11) 19 mm Mixture @ 98.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture @ 105.00 per ton

(15) 12.5 mm Mixture @ 104.50 per ton

(16) 19 mm Mixture @ 100.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(19) 9.5 mm Mixture @ 117.00 per ton

(20) 12.5 mm Mixture @ 112.00 per ton

(21) 19 mm Mixture @ 106.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(22) Hot Mix Asphalt @ 98.00 per ton

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(23) Hot Mix Asphalt @ 107.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(30) Cold Mix Asphalt @ 160.00 per ton

**CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.30 PER TON PER MILE, WITH 10.00 PER TON MINIMUM HAUL.**

LEHMAN-ROBERTS COMPANY
P.O. BOX 1603
MEMPHIS, TN 38101
901-774-4000
FAX: 901-774-4028
mellis@lehmanroberts.com

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at PLANT 7, 1775 FARRISH GRAVEL ROAD, BATESVILLE, MS 38606 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture	@ <u>113.00</u> per ton
(5) 12.5 mm Mixture	@ <u>107.00</u> per ton
(6) 19 mm Mixture	@ <u>97.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>113.00</u> per ton
(10) 12.5 mm Mixture	@ <u>107.00</u> per ton
(11) 19 mm Mixture	@ <u>97.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>113.00</u> per ton
(15) 12.5 mm Mixture	@ <u>107.00</u> per ton
(16) 19 mm Mixture	@ <u>97.00</u> per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(25) Bulk form: <u>QPR COLD MIX</u>	Manufactured by: <u>QPR</u>
Product Name	
@ <u>170.00</u> per ton	

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .50 PER TON PER MILE, WITH 10.00 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY
P.O. BOX 1603
MEMPHIS, TN 38101
901-774-4000
FAX: 901-774-4028
mellis@lehmanroberts.com

**HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025**

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at PLANT 10, 161 STONEWALL ROAD, BYHALIA, MS 38611 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture	@ <u>112.00</u> per ton
(5) 12.5 mm Mixture	@ <u>107.00</u> per ton
(6) 19 mm Mixture	@ <u>102.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>112.00</u> per ton
(10) 12.5 mm Mixture	@ <u>107.00</u> per ton
(11) 19 mm Mixture	@ <u>102.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>112.00</u> per ton
(15) 12.5 mm Mixture	@ <u>107.00</u> per ton
(16) 19 mm Mixture	@ <u>102.00</u> per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(25) Bulk form: <u>QPR COLD MIX</u>	Manufactured by: <u>QPR</u>
Product Name	
@ <u>170.00</u> per ton	

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .50 PER TON PER MILE, WITH 10.00 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY
P.O. BOX 1603
MEMPHIS, TN 38101
901-774-4000
FAX: 901-774-4028
mellis@lehmanroberts.com

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at PLANT 6, 6158 HIGHWAY 51 SOUTH, HERNANDO, MS 38632 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture	@ <u>109.00</u> per ton
(5) 12.5 mm Mixture	@ <u>105.00</u> per ton
(6) 19 mm Mixture	@ <u>96.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>109.00</u> per ton
(10) 12.5 mm Mixture	@ <u>105.00</u> per ton
(11) 19 mm Mixture	@ <u>96.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>109.00</u> per ton
(15) 12.5 mm Mixture	@ <u>105.00</u> per ton
(16) 19 mm Mixture	@ <u>96.00</u> per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .50 PER TON PER MILE, WITH 10.00 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY
P.O. BOX 1603
MEMPHIS, TN 38101
901-774-4000
FAX: 901-774-4028
mellis@lehmanroberts.com

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at PLANT 11, 325 COUNTY RD 101, OXFORD, MS 38655 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture	@ <u>112.00</u> per ton
(5) 12.5 mm Mixture	@ <u>107.00</u> per ton
(6) 19 mm Mixture	@ <u>102.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>112.00</u> per ton
(10) 12.5 mm Mixture	@ <u>107.00</u> per ton
(11) 19 mm Mixture	@ <u>96.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>109.00</u> per ton
(15) 12.5 mm Mixture	@ <u>105.00</u> per ton
(16) 19 mm Mixture	@ <u>102.00</u> per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .50 PER TON PER MILE, WITH 10.00 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY
P.O. BOX 1603
MEMPHIS, TN 38101
901-774-4000
FAX: 901-774-4028
mellis@lehmanroberts.com

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at PLANT 1, 413 HIGHWAY 82, WINONA, MS 38967 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture	@ <u>110.00</u> per ton
(5) 12.5 mm Mixture	@ <u>104.00</u> per ton
(6) 19 mm Mixture	@ <u>97.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>110.00</u> per ton
(10) 12.5 mm Mixture	@ <u>104.00</u> per ton
(11) 19 mm Mixture	@ <u>97.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>110.00</u> per ton
(15) 12.5 mm Mixture	@ <u>104.00</u> per ton
(16) 19 mm Mixture	@ <u>97.00</u> per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .50 PER TON PER MILE, WITH 10.00 PER TON MINIMUM HAUL.

MATERIAL RESOURCES INC.
1382 SAFE ENERGY DRIVE
PORT ALLEN, LA 70767
225-267-6464
colby@materialresources.org

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at PORT ALLEN, LA

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(24) Bagged form: PM PLUS Manufactured by: MATERIAL RESOURCES INC
Product Name
@ 480.00 per ton (\$12.00 per bag)

(25) Bulk form: PM PLUS Manufactured by: MATERIAL RESOURCES INC
Product Name
@ 118.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(30) Cold Mix Asphalt @ 118.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.27 PER TON PER MILE, WITH 8.00 PER TON MINIMUM HAUL.

SEABOARD ASPHALT PRODUCTS CO
3601 FAIRFIELD ROAD
BALTIMORE MD 21226
410-355-0330
FAX 410-355-5864

HOT AND COLD BITUMINOUS ASPHALT MIXTURES JANUARY 1, 2025 THROUGH JUNE 30, 2024

Our price for material produced in accordance with Mississippi Department of Transportation Specifications. Trucks at our plant located at 3601 FAIRFIELD ROAD BALTIMORE MD 21226

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(24) Bagged form: BOND-X GREEN Manufactured by: SEABOARD ASPHALT
 Product Name
 @ 458.33 per ton

(25) Bulk form: BOND X GREEN Manufactured by: SEABOARD ASPHALT
 Product Name
 @ 310.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR ____ MS PER TON PER MILE, WITH ____ ONE ____ PER TON MINIMUM HAUL.

STANDARD CONSTRUCTION CO INC
P.O BOX 38289
GERMANTOWN TN 38183
901-754-5181
FAX: 901-753-4935
DADEH@STANDARDCONSTRUCTIONGROUP.COM

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at 1035 FRANK ROAD COLLIERVILLE, TN are as follows:

907-403-A HOT MIX ASPHALT, ST:

(4) 9.5mm Mixture	@ <u>105.00</u> per ton
(5) 12.5 mm Mixture	@ <u>92.50</u> per ton
(6) 19 mm Mixture	@ <u>85.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(9) 9.5 mm Mixture	@ <u>105.00</u> per ton
(10) 12.5 mm Mixture	@ <u>92.50</u> per ton
(11) 19 mm Mixture	@ <u>85.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(14) 9.5 mm Mixture	@ <u>105.00</u> per ton
(15) 12.5 mm Mixture	@ <u>92.50</u> per ton
(16) 19 mm Mixture	@ <u>85.00</u> per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(19) 9.5 mm Mixture	@ <u>115.00</u> per ton
(20) 12.5 mm Mixture	@ <u>105.00</u> per ton
(21) 19 mm Mixture	@ <u>100.00</u> per ton

WARREN PAVING, INC.
P.O BOX 572
HATTIESBURG MS 39403
601-544-7811
FAX: 601-544-2005
joelmoody@warrenpaving.com
JEREMYPATTERSON@WARREN.COM

**HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025**

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at 11211 REICHOLD ROAD, GULFPORT, MS are as follows:

TACK

(1) CSS-1H @ \$10.00 Per Gallon

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(2) Type 8, Crushed Gravel, or @ 92.50 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 4.75 mm Mixture @ 100.00 per ton
(4) 9.5mm Mixture @ 92.00 per ton
(5) 12.5 mm Mixture @ 90.00 per ton
(6) 19 mm Mixture @ 87.00 per ton
(7) 25 mm Mixture @ 87.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 4.75 mm Mixture @ 101.00 per ton
(9) 9.5 mm Mixture @ 93.00 per ton
(10) 12.5 mm Mixture @ 91.00 per ton
(11) 19 mm Mixture @ 88.00 per ton
(12) 25 mm Mixture @ 88.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 4.75 mm Mixture	@ <u>102.00</u> per ton
(14) 9.5 mm Mixture	@ <u>94.00</u> per ton
(15) 12.5 mm Mixture	@ <u>92.00</u> per ton
(16) 19 mm Mixture	@ <u>89.00</u> per ton
(17) 25 mm Mixture	@ <u>89.00</u> per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 4.75 mm Mixture	@ <u>115.00</u> per ton
(19) 9.5 mm Mixture	@ <u>107.00</u> per ton
(20) 12.5 mm Mixture	@ <u>105.00</u> per ton
(21) 19 mm Mixture	@ <u>104.00</u> per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(22) Hot Mix Asphalt	@ <u>92.50</u> per ton
----------------------	------------------------

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(23) Hot Mix Asphalt	@ <u>92.50</u> per ton
----------------------	------------------------

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(23) Cold Mix Asphalt	@ <u>92.50</u> per ton
-----------------------	------------------------

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .30 PER TON PER MILE, WITH 10.00 PER TON MINIMUM HAUL.

WARREN PAVING, INC.
P.O. BOX 572
HATTIESBURG, MS 39403
601-544-7811
FAX: 601-544-2005
jeremypatterson@warrenpaving.com

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at 562 ELKS LAKE ROAD, HATTIESBURG, MS 39403 are as follows:

TACK

(1) CSS-1H @ \$10.00 Per Gallon

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(2) Type 8, Crushed Gravel, or @ 94.00 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 4.75 mm Mixture @ 101.00 per ton
(4) 9.5mm Mixture @ 95.00 per ton
(5) 12.5 mm Mixture @ 94.00 per ton
(6) 19 mm Mixture @ 87.00 per ton
(7) 25 mm Mixture @ 87.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 4.75 mm Mixture @ 102.00 per ton
(9) 9.5 mm Mixture @ 96.00 per ton
(10) 12.5 mm Mixture @ 95.00 per ton
(11) 19 mm Mixture @ 88.00 per ton
(12) 25 mm Mixture @ 88.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 4.75 mm Mixture	@ <u>103.00</u> per ton
(14) 9.5 mm Mixture	@ <u>97.00</u> per ton
(15) 12.5 mm Mixture	@ <u>96.00</u> per ton
(16) 19 mm Mixture	@ <u>89.00</u> per ton
(17) 25 mm Mixture	@ <u>89.00</u> per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 4.75 mm Mixture	@ <u>115.00</u> per ton
(19) 9.5 mm Mixture	@ <u>109.00</u> per ton
(20) 12.5 mm Mixture	@ <u>108.00</u> per ton
(21) 19 mm Mixture	@ <u>103.00</u> per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(22) Hot Mix Asphalt	@ <u>94.00</u> per ton
----------------------	------------------------

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(23) Hot Mix Asphalt	@ <u>94.00</u> per ton
----------------------	------------------------

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.35 PER TON PER MILE, WITH 10
.00 PER TON MINIMUM HAUL.

WARREN PAVING, INC.
11211 REICHOLD ROAD
GULFPORT, MS 39503
228-896-8003
FAX: 228-896-8155
joelmoody@warrenpaving.com

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
JANUARY 1, 2025 THROUGH JUNE 30, 2025

Our price for material produced in accordance with Mississippi Department of Transportation Specifications Department of Transportation at our plant located at 10699 HWY 63 MOSS POINT, MS 39563 are as follows:

TACK

(1) CSS-1H @ \$10.00 Per Gallon

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(2) Type 8, Crushed Gravel, or @ 92.50 per ton
Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 4.75 mm Mixture @ 100.00 per ton
(4) 9.5mm Mixture @ 92.00 per ton
(5) 12.5 mm Mixture @ 90.00 per ton
(6) 19 mm Mixture @ 87.00 per ton
(7) 25 mm Mixture @ 87.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 4.75 mm Mixture @ 101.00 per ton
(9) 9.5 mm Mixture @ 93.00 per ton
(10) 12.5 mm Mixture @ 91.00 per ton
(11) 19 mm Mixture @ 88.00 per ton
(12) 25 mm Mixture @ 88.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 4.75 mm Mixture	@ <u>102.00</u> per ton
(14) 9.5 mm Mixture	@ <u>94.00</u> per ton
(15) 12.5 mm Mixture	@ <u>92.00</u> per ton
(16) 19 mm Mixture	@ <u>89.00</u> per ton
(17) 25 mm Mixture	@ <u>89.00</u> per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 4.75 mm Mixture	@ <u>115.00</u> per ton
(19) 9.5 mm Mixture	@ <u>107.00</u> per ton
(20) 12.5 mm Mixture	@ <u>105.00</u> per ton
(21) 19 mm Mixture	@ <u>104.00</u> per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(22) Hot Mix Asphalt	@ <u>92.50</u> per ton
----------------------	------------------------

ULTRA-THIN HOT MIX ASPHALT (UHMA - SEE ATTACHED)

(23) Hot Mix Asphalt	@ <u>92.50</u> per ton
----------------------	------------------------

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .35 PER TON PER MILE, WITH 10.00 PER TON MINIMUM HAUL.

